| Ref<br># | Hits  | Search Query   | . DBs                                      | Default<br>Operator | Plurals | Time Stamp       |
|----------|-------|--|--|---------------------|---------|------------------|
| L1       | 51    | 709/220-245.ccls. and (routing with (table database list\$4) with updat\$4) and ((packet datagram frame) with (id identif\$6)) and (prior same (send\$4 receiv\$4 transmi\$6 transfer\$6 request\$4))                          | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/06/17 19:15 |
| L2       | 45    | 709/220-245.ccls. and (routing with (table database list\$4) with updat\$4) and ((packet datagram frame) with (id identif\$6)) and (arp rarp icmp echo)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/06/17 19:15 |
| L3       | 3     | (709/220-245.ccls. 370/392-394. ccls.) and (routing with (table database list\$4) with updat\$4) and ((packet datagram frame) with (id identif\$6)) and (arp rarp icmp echo) and tier  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/06/17 19:15 |
| S1       | 11976 | routing with (table database list\$4)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/06 10:26 |
| S2       | 3801  | (routing with (table database list\$4)) and ((output port) with (address id identif\$6))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/04 17:23 |
| S3       | 755   | "709"/\$.ccls. and (routing with<br>(table database list\$4)) and<br>((output port) with (address id<br>identif\$6))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON .    | 2005/01/04 17:25 |
| S4       | 194   | "709"/\$.ccls. and (routing with (table database list\$4)) and ((output port) with (address id identif\$6)) and (assign\$6 with (address id identif\$6 ip) with (datagram packet frame stream messag\$4))                      | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/04 17:29 |
| S5       | 205   | "709"/\$.ccls. and (routing with (table database list\$4)) and ((output out-put input in-put port) with (address id identif\$6)) and (assign\$6 with (address id identif\$6 ip) with (datagram packet frame stream messag\$4)) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR .                | ON      | 2005/01/05 15:30 |
| S6       | 84    | "709"/\$.ccls. and (routing with (table database list\$4)) and ((output out-put input in-put port) same assign\$6 with (address id identif\$6 ip) with (datagram packet frame stream messag\$4))                               | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/01/05 15:30 |

| S7  | 18   | "709"/\$.ccls. and (routing with (table database list\$4)) and ((output out-put input in-put port) same assign\$6 with (id identif\$6) with (datagram packet frame stream messag\$4))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/04 18:40 |
|-----|------|--|--|----|----|------------------|
| S8  | 8    | "725"/\$.ccls. and (routing with (table database list\$4)) and ((output out-put input in-put port) same assign\$6 with (id identif\$6) with (datagram packet frame stream messag\$4))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/04 18:40 |
| S9  | 86   | "709"/\$.ccls. and (routing with (table database list\$4)) and ((output out-put input in-put port) with (address id identif\$6)) and (assign\$6 with (address id identif\$6 ip) with (datagram packet frame stream messag\$4)) and hierarch\$4         | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/05 15:32 |
| S10 | . 23 | "709"/\$.ccls. and (routing with (table database list\$4)) and ((output out-put input in-put port) same assign\$6 with (address id identif\$6 ip) with (datagram packet frame stream messag\$4)) and hierarch\$4                                       | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/05 15:32 |
| S11 | 179  | "709"/\$.ccls. and (routing with (table database list\$4)) and ((output out-put input in-put port) with (address id identif\$6)) and (assign\$6 with (address id identif\$6 ip) with (datagram packet frame stream messag\$4)) and (level hierarch\$4) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/05 15:32 |
| S12 | 69   | "709"/\$.ccls. and (routing with (table database list\$4)) and ((output out-put input in-put port) same assign\$6 with (address id identif\$6 ip) with (datagram packet frame stream messag\$4)) and (level hierarch\$4)                               | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/05 15:32 |
| S13 | 1653 | (routing with (table database list\$4) with updat\$4)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/07 10:51 |
| S14 | 269  | 709/220-245.ccls. and (routing with (table database list\$4) with updat\$4)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/06 10:34 |

| S15 | 117  | 709/220-245.ccls. and (routing with (table database list\$4) with updat\$4) and ((packet datagram frame) with (id identif\$6))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/06 18:51 |
|-----|------|--|--|----|----|------------------|
| S16 | . 13 | 709/220-245.ccls. and (routing with (table database list\$4) with updat\$4) same ((packet datagram frame) with (id identif\$6))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/06 11:22 |
| S17 | 43   | 709/220-245.ccls. and (routing with (table database list\$4) with updat\$4) and ((packet datagram frame) with (id identif\$6)) and (arp rarp icmp echo)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/07 10:48 |
| S18 | 6    | ("6483870" "5898686" "5608726"<br>"6425006").pn. and (tabl\$4<br>database list\$4)   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/07 10:54 |
| S19 | 21   | 370/392-394.ccls. and (routing with (table database list\$4) with updat\$4) and ((packet datagram frame) with (id identif\$6)) and (arp rarp icmp echo)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/07 10:49 |
| S20 | 16   | 709/227-229.ccls. and (routing with (table database list\$4) with updat\$4) and ((packet datagram frame) with (id identif\$6)) and (arp rarp icmp echo)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/06 13:55 |
| S21 | 27   | 709/227-229.ccls. and (routing with (table database list\$4) with updat\$4) and ((packet datagram frame) with (id identif\$6))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/06 13:55 |
| S22 | 47   | 709/220-245.ccls. and (routing with (table database list\$4) with updat\$4) and ((packet datagram frame) with (id identif\$6)) and (prior same (send\$4 receiv\$4 transmi\$6 transfer\$6 request\$4))          | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/06 18:52 |
| S23 | 65   | 709/220-245.ccls. and (routing with (table database list\$4) with updat\$4) and ((packet datagram frame) with (id identif\$6)) and ((prior before) with (send\$4 receiv\$4 transmi\$6 transfer\$6 request\$4)) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/06 18:53 |
| S35 |      | (709/220-245.ccls. 370/392-394. ccls.) and (routing with (table database list\$4) with updat\$4) and ((packet datagram frame) with (id identif\$6)) and (arp rarp icmp echo) and tier                          | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/07 10:50 |

|     |      |  |  | ·  |    |                  |
|-----|------|--|--|----|----|------------------|
| S37 | 62   | (routing with (table database list\$4) with updat\$4) and tier   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/07 10:51 |
| S51 | 1227 | ((source first input) with tier) and ((second intermediat\$4) with tier) and ((third last final ouput) with tier)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/16 18:57 |
| S52 | 18   | ((source first input) with tier) and ((second intermediat\$4) with tier) and ((third last final ouput) with tier) and (stream with (id identif\$6 identification))   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/16 19:01 |
| S53 | 18   | ((source first input) with tier) and ((second middle intermediat\$4) with tier) and ((third last final ouput) with tier) and (stream with (id identif\$6 identification))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/16 19:01 |
| S54 | 24   | (US-5898686-\$ or US-5996021-\$ or US-6055561-\$ or US-6101188-\$ or US-6157644-\$ or US-6157950-\$ or US-6208623-\$ or US-6292836-\$ or US-6363053-\$ or US-6434134-\$  | USPAT                                      | OR | ON | 2005/06/16 19:28 |
|     |      | or US-6470389-\$ or US-6556574-\$ or US-6570875-\$ or US-6574667-\$ or US-6603769-\$ or US-6701361-\$ or US-6760775-\$ or US-6765896-\$ or US-6772219-\$ or US-6785715-\$ or US-6789118-\$ or US-6810037-\$  |  |    |    | -                |
|     |      | or US-6826613-\$ or<br>US-6829238-\$).did.   |  |    |    |                  |
| S55 | 10   | S54 and (ack acknowledg\$6)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/17 11:19 |
| S56 | 24   | (US-5898686-\$ or US-5996021-\$ or US-6055561-\$ or US-6101188-\$ or US-6157644-\$ or US-6157950-\$ or US-6208623-\$ or US-6292836-\$ or US-6363053-\$ or US-6434134-\$ or US-6470389-\$ or US-6556574-\$ or US-6570875-\$ or US-6701361-\$ or US-6760775-\$ or US-6765896-\$ or US-6772219-\$ or US-6785715-\$ or US-6789118-\$ or US-6826613-\$ or US-6829238-\$).did. | USPAT                                      | OR | ON | 2005/06/17 11:20 |
| S57 | 24   | S56 and (stream\$4 packet datagram frame)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/06/17 11:20 |